


NEW MEXICO ENVIRONMENT DEPARTMENT

Harold Runnels Building 1190 South St. Francis Drive (87505) P.O. Box 5469, Santa Fe, NM 87502-5469 Phone (505) 827-0187 Fax (505) 827-0160 www.env.nm.gov



Certified Mail - Return Receipt Requested

April 12, 2017

Mr. Kevin Patton, Director of Land Entitlement Pulte Homes of New Mexico Inc. 7601 Jefferson NE Suite 320 Albuquerque, NM 87110

Re: Pulte Homes of New Mexico-Las Campanas at Santa Fe; SIC 1522; Construction Evaluation Inspection; NPDES Permit NMR12BJ79; March 16, 2017

Dear Mr. Patton:

Enclosed please find a copy of the report for the referenced inspection that the New Mexico Environment Department (NMED) conducted at a construction site for which you may be an "operator" (see Appendix A in permit). The NMED conducted this inspection on behalf of the U.S. Environmental Protection Agency (USEPA). This inspection report will be sent to the USEPA in Dallas for their review. These inspections are used by USEPA to determine compliance with the National Pollutant Discharge Elimination System (NPDES) permitting program in accordance with requirements of the federal Clean Water Act.

Problems noted during this inspection are listed in the checklist section of the inspection report. You are encouraged to review the inspection report, required to correct any problems noted during the inspection, and to modify your operational and/or administrative procedures, as appropriate. If you have comments on or concerns with the basis for the findings in the NMED inspection report, please contact us (see the address above) in writing within 30 days from the date of this letter. Further, notify in writing both USEPA (Racquel Douglas, USEPA (6EN), 1445 Ross Ave., Dallas, Texas, 75202), NMED (at the above address) regarding modifications and compliance schedules.

Page 2 Mr. Patton April 12, 2017

If you have any questions about this inspection report, please contact Daniel Valenta at 505-827-2575 or at daniel.valenta@state.nm.us.

Sincerely,

/s/Sarah Holcomb

Sarah Holcomb Program Manager Point Source Regulation Section Surface Water Quality Bureau

Cc: Robert Houston (6EN-WS) by email
Everett Spencer, USEPA (6EN-AS) by email
Darlene Whitten-Hill, USEPA (6EN-AS) by email
David Long (6EN-WM) by email
William Chavez, NMED District I Manager, by email

Form Approved OMB No. 2040-0003 Approval Expires 7-31-85



NPDES Compliance Inspection Report

	Section A: National Data System Coding																															
	Transaction Code NPDES										yı	r/mo/d	ay			Ins	spec. Type Inspector Fac Type															
1	N	2	5	3	N	M	R		1	2	В	J	7	9	11	12	1	L	7	0	4	1	6	17	18	}]	19	S	20	2	
																Rem	arks			1							•					
L	C	o	N	S	T	R	U		C	T	I	O	N		>	1			A	C	R	E										
Inspection Work Days Facility Evaluation Rating BI							Q)A	Ī		 I	 I		 I	-Reserved																	
67 69 70 4 71 N 72 N 73 74 75									75				<u></u>	丄		80																
	Section B: Facility Data																															
	ne and W nam							or i	indu	strial i	users a	lischa	rging	to PO	ГW, а	lso in	clude	2	Ent		ne /Da 30 ho		16-20	017			mit Et 16-2 0		ve Dat	te		
	e Hon razas,						Cam	ıpa	nas	at Sa	nta Fe	e, Tra	ilhea	d Dr.	& Pa	aseo I	Las	Ī	Exi		e/Date 13 ho		16-20	017			Permit Expiration Date 2-16-2022					
Nam	ne(s) of	On-S	Site R	epres	entati	ve(s)/	Γitle(s)/P	hon	e and	Fax Nı	ımber	(s)												Otl	ner Fac	ility I)ata				
Mr.	Tim S	Slatu	nas/S	WPI	P Co	ontac	t/505	-30	1-0	059															GI	PS:						
		_						_										_							N.	35.65	81					
Nan	ne, Ad	dress	of Re	spons	ible (Officia	ıl/Titl	e/P	hone	e and I	Fax Nu	mber						ł			Con	tootad				-105.						
Mr	Mr. Kevin Patton/Director of Land Entitlement/505-975-6140 Contacted Ves. No. * SIC: 1522																															
	Yes No * SIC: 1322																															
	Section C: Areas Evaluated During Inspection																															
_ 1	(S = Satisfactory, M = Marginal, U = Unsatisfactory, N = Not Evaluated)																															
S	Pern		_				F	N	۱ ا		Measu					U	┥.	•			Maint				N		/SSO					
S			Repor				F	N N			Monito	Ü		am		N	\dashv		_		ng/Di	sposal			N				ention			
U		•	ite R				F		1	_	oliance	Sche	dules			N	\dashv			ment					N	Multimedia						
N	Effl	uent/	Recei	ving	Wate	rs		N			ratory					U	_		m W						N	Other:						
									Se	ection	D: Sui	nmar	y of F	indin	gs/Co	mme	nts (A	Atta	ch ac	lditio	nal sh	eets if	neces	ssary)								
	 This report is based on review of files maintained by the permittee and NMED, on site observation by NMED personal and verbal information provided by the facility's representative. Arriving on site at approximately 1330, accompanied by Ms. Jennifer Foote, the inspector made introductions, presented credentials and explained the purpose of the inspection to Mr. Tim Slatunas, SWPPP Contact. A short exit interview was conducted at the site with Mr. Slatunas, the inspector left the site at approximately 1613. 																															
													•																			
Nan	ıe(s) aı	nd Sią	gnatu	re(s)	of Ins	pecto	r(s)						Ag	ency/0	Office	/Tele	phon	ne/Fa	ax							Dat		/12/20)17			
Dan	iel Va	lenta	ı		/s/L	Daniel	Vale	ente	а				NN	ÆD/	SWQ	В 50	5-82	7-25	75								4/	12/20	.1/			
Sign	nature	of M	anage	emen	t QA	Revie	wer						Aş	gency/	Offic	e/Pho	ne ai	nd F	ax N	umbe	ers					Dat	te					
Sar	ah Ho	lcom	b		/s/S	Sarah	Holo	on	ıb				N	MED/	SW(QB 50	5-82	27-27	798								4/1	2/201	7			

National Database Information							Comment									
		Databa			n					Ge	neral					
Inspection Type				CEI				ector Nar	ne			ıniel Val				
NPDES ID Nu				R12B.				phone			50	5-827-2	2575			
Inspection Date	•		3/1	6/201	7			Time			1330					
Inspector Type (check one)	eck one)						Exit Time 1613									
Facility Type						Signature /s/Daniel Valenta										
						141				<u>I</u>						
				F	acili	ity Locatio	n Inf	ormatio	n							
Name/Location	/Mailin	ισ	Pulte Ho			M – Las C				Trailhe	ad Dr	& Pased	Lasí	Terrazas		
Address	/ IVICIIII	5				06 Santa F			114 1 0,	, irumine	aa Di.	cc i asco	Lus	TOTTUZUS		
Coordinates			Latitude	1 1111	0750	35.6		ity	Lone	gitude		-10	5.948	2		
Receiving Water	arc			larrox	vo to	the Canac		oho and t			Grand					
					yo ic				iius to							
Disturbed Area			24	acres		Start/S	top Da	ates		7/	7/2016	to 4/15/	2017			
-																
					(Contact In		ation								
						Nam						elephor	ne			
Name(s) and Ro Meeting the De				Mr. Enti		vin Patton/	Direct	or of Lai	nd	Office	ice 505-975-6140					
Facility Contac		. 01 01	Jerutor								505-301-0059					
Authorized Off	icial(s)					evin Patton/Director of Land Office 505-975-6140										
				Liiti	ticii	CIIt										
				Site 1	nfo	rmation: <i>c</i>	hock	all that o	innly							
Nature of	⊠ Rec	identia	ıl 🗆 Com			⊠Roadwa		□ Priva			adaral	□State	. /	Other		
Project Project	△ ICS.	ideittia	Industri		a1 /	⊠Koauwa	ıy	□TIIVa	ic	□Federal		Municipal Municipal		Other		
Construction	□Clea	aring /	□Roug	,h		⊠Infrastr	ucture	⊠Build	ling	⊠Final □Final			l Stabi	lization		
Stage	Grubb	ing	Grading	5				(Vertica	ıl)	Grading						
	Dogio I	Daumii	t Informa	tion					Dogi	CW/DE	D Info	rmation				
Permit Coverage		eriiii	11110F1111a 	uon			CW	PPP Prep			P IIIIO	rmauoi	1			
Terrint Coverage	ge		⊠Y	<i>T</i>		\Box N	Ava	ilable? t 7.1.1, 7.		x	\boxtimes	ΊY		□N		
Permit Type			⊠Gen	eral		Individual	SW	PPP Con	tents]Y		⊠n		
N. C. D. (1)	/ · · · 1 1							sfactory?		, ,:						
Notice Posted (PPP Imp		tation						
font large, NPI			\boxtimes_{Y}	7		\square N	Sati	sfactory?	•			$]_{Y}$		\boxtimes N		
tracking#, cont		ne &														
phone #) Part	1.5															
NOI Data			7/6/20	1.6			CIII	DDD D-			7151	2016				
NOI Date	4 9		7/6/20				SW.	PPP Date	2		1/3/.	2015				
Is NOI Satisfac	nory?		⊠Y			\square N										
			1		<u> </u>											

Additional Facility and Inspection Information (optional)

General Notes: SWPPP Signed/Certified. Did all operators sign/certify the SWPPP? Director. SWPPP/NOI needs to be updated to reflect the new Director. Part 7.2.15, Appendix I.11 Y N Director. SWPPP completed prior to NOI? Director. N Director. Part 7.1.1, Part 1.2.1 Y N No documentation for selection criterion A. Endangered Species Act. Does SWPPP include documentation supporting determination? N No documentation for selection criterion A. Historic Properties. Does SWPPP include documentation supporting determination? N N	SWPPP Review (can be completed in office)									
SWPPP Signed/Certified. Did all operators sign/certify the SWPPP? Part 7.2.15, Appendix I.11 SWPPP completed prior to NOI? Part 7.1.1, Part 1.2.1 Endangered Species Act. Does SWPPP include documentation supporting determination? Part 7.2.14.1; Part 1.1.e, Appendix D Historic Properties. Does SWPPP include documentation supporting determination? V N SWPPP/NOI needs to be updated to reflect the new Director. N No documentation for selection criterion A.		•								
sign/certify the SWPPP? Part 7.2.15, Appendix 1.11 SWPPP completed prior to NOI? Part 7.1.1, Part 1.2.1 Endangered Species Act. Does SWPPP include documentation supporting determination? Part 7.2.14.1; Part 1.1.e, Appendix D Historic Properties. Does SWPPP include documentation supporting determination? V N Director. N No documentation for selection criterion A.				SWPPP/NOI needs to be updated to reflect the new						
Part 7.2.15, Appendix I.11 Y N SWPPP completed prior to NOI? □ □ Part 7.1.1, Part 1.2.1 Y N Endangered Species Act. Does SWPPP include documentation supporting determination? □ No documentation for selection criterion A. Part 7.2.14.1; Part 1.1.e, Appendix D Y N Historic Properties. Does SWPPP include documentation supporting determination? □ □ V N				<u> </u>						
Part 7.1.1, Part 1.2.1 Y N Endangered Species Act. Does SWPPP include documentation supporting determination? ✓ No documentation for selection criterion A. Part 7.2.14.1; Part 1.1.e, Appendix D Y N Historic Properties. Does SWPPP include documentation supporting determination? ✓ ✓		Y	N							
Part 7.1.1, Part 1.2.1 Y N Endangered Species Act. Does SWPPP include documentation supporting determination? ✓ No documentation for selection criterion A. Part 7.2.14.1; Part 1.1.e, Appendix D Y N Historic Properties. Does SWPPP include documentation supporting determination? ✓ ✓	SWPPP completed prior to NOI?	\boxtimes								
Endangered Species Act. Does SWPPP include documentation supporting determination? Part 7.2.14.1; Part 1.1.e, Appendix D Historic Properties. Does SWPPP include documentation supporting determination? V N N No documentation for selection criterion A.										
documentation supporting determination? Part 7.2.14.1; Part 1.1.e, Appendix D Historic Properties. Does SWPPP include documentation supporting determination?	Endangered Species Act. Does SWPPP include			No documentation for selection criterion A.						
Historic Properties. Does SWPPP include documentation supporting determination?										
documentation supporting determination?		Y	N							
documentation supporting determination?	Historic Properties. Does SWPPP include]							
Part 7.2.14.2. Annendix E	documentation supporting determination?		_							
1 un 7.2.14.2, Appenuix E	Part 7.2.14.2, Appendix E	Y	N							
If applicable, documents contact with agency or	If applicable, documents contact with agency or									
office responsible for implementing Safe		lь								
Drinking Water Act underground injection N/A				N/A						
control well(s)?		Y	N							
Part 7.2.14.3, 40 CFR Parts 144 -147	Part 7.2.14.3, 40 CFR Parts 144 -147									
Post-Authorization Additions. Does SWPPP	Post-Authorization Additions. Does SWPPP									
include:	include:									
➤ Copy of acknowledgement letter \(\forall \)/N \\ \Big \Big	Copy of acknowledgement letter Y/N	\boxtimes								
\triangleright Copy of NOI \overline{Y}/N \overline{Y} \overline{Y} \overline{Y}	Copy of NOI Y/N		N							
Copy of permit Y/N			1,							
Part 7.2.16.3										
If applicable, SWPPP describes compliance	If applicable, SWPPP describes compliance									
with any case-by-case basis USEPA imposed		lь								
water quality-based effluent limitation		_		N/A						
requirements?		Y	N							
Part 3	Part 3									
If discharge to an impaired water, includes	If discharge to an impaired water, includes									
records of all data used to complete NOI:										
List of all impaired waters Y/N										
➤ Pollutant(s) for which the surface water is				N/A						
impaired Y/N Y N		Y	N							
Whether a TMDL has been approved or										
established Y/N										
Part 3.2.1, Appendix I.15										
Required SWPPP modifications completed?										
 Completed w/7 days Y/N Maintains modification records showing dates, SWPPP/NOI needs to be updated to reflect the new 				SWPDD/NOI needs to be undated to reflect the new						
9 /		lь		_						
name of policing change and				Director.						
summary Y/N Signal/Contignal Y/N		Y	N							
Signed/Certified Y/N										
Immediately notified other operators Y/N/NA										
Parts 7.4, 5.2.2, Appendix I.11.b										
Records Retention. Have copies of inspection										
reports/all other documentation been retained as				N/A active site						
part of the SWPPP for 3 years from date permit Y N/A-active site.		Y	N	N/A-active site.						
coverage expires or is terminated? Parts 4.1.7, 5.4.4, Appendix I.10.2, I.15		-								

	Team & Activity Description			Notes:
Ide	ntifies stormwater team personnel and			
res	ponsibilities?			
	Personnel (by name or position) \overline{Y}/N			
	Individual responsibilities Y/N	Y	N	
Par	t 7.2.1			
Is s	taff training documented?			
\triangleright	Training occurs prior to the commencement			
	of earth-disturbing activities or pollutant-			No training documented.
	generating activities, whichever occurs first			<i>§</i>
	Y/N			
>	Ensures following understand the			
	requirements of this permit and their specific			
	responsibilities:			
	o Personnel responsible for the design,			
	installation, maintenance, and/or repair			
	of controls/measures Y/N			
	o Personnel responsible for the application			
	and storage of treatment chemicals			
	Y/N/NA			
	o Personnel responsible for conducting		\boxtimes	
	inspections Y/N	Y	N	
	o Personnel responsible for taking	I	IN	
	corrective actions Y/N			
>	At a minimum, training includes:			
	Location of all stormwater controls on			
	the site required by this permit, and how			
	maintained Y/N			
	D 1 (C11):1			
	to the permit's pollution prevention			
	requirements Y/N			
	TT 11			
	record applicable findings, and take			
Das	corrective actions Y/N ts 7.2.13, 6 and permit notes for emergency-			
	nted construction activities scribes nature of construction activities?			
				Entire site disturbed.
>	Size of the property Y/N			Elitile site disturbed.
>	Total area to be disturbed Y/N	\boxtimes		
>	Construction support activity areas Y/N/NA	Y	N	
	Maximum area to be disturbed at any one	1	1,	
	time Y/N			
	rt 7.2.2			
	pplicable, documents emergency-related			
-	ojects?			
	Cause of public emergency (e.g., natural			NI/A
	disaster, extreme flooding conditions, etc.)			N/A
_	Y/N Info substantiating accommon (a.g. state			
	Info substantiating occurrence (e.g., state	Y	N	
	disaster declaration or similar state or local	•	- 1	
_	declaration) Y/N			
	Description of the construction necessary to			
Dar	reestablish effected public services Y/N ts 7.2.3, 1.2			
	ntifies (lists) other site operators and areas			
	site over which each has control?			N/A, one operator on site.
>	List and areas of site over which each has	Y	N	

	(control Y/N			
	Part	7.2.4			
	Desc	ribes sequence, estimated dates			
	(depa	artures) and duration of construction			
		ities?			
	> I	nstallation of control measures when			
	(operational Y/N			
	> (Commencement/duration clearing &			
		grubbing, mass grading, site preparation			
		excavating, cutting & filling), final grading,			
		and creation of soil & vegetation stockpiles			
		Y/ <mark>N</mark>			
		Cessation, temporarily or permanently, of	ш	\boxtimes	
		construction activities on the site, or in	Y	N	
		lesignated portions of site Y/N			
		Final/temporary stabilization areas of exposed			
		soil YN			
		Removal of temporary stormwater			
		conveyances/channels and other stormwater			
		control measures Y/N/NA			
		Removal of construction equipment and			
		vehicles YN			
	Part				
	Pari		<u> </u>		Noton
	T-s ols	Site Map des legible site map(s)?			Notes:
	Part	• , ,	\boxtimes	Ш	
			Y	N	
		Boundaries of the property Y/N			
		Locations construction activities will occur			
		Y/N			Secondary entrance road is not included on the maps.
	> I	Locations earth-disturbing activities will			
	(occur (note any phasing) Y/N			
	> 1	Approximate slopes before and after major			
	٤	grading (note steep slopes) Y/N			
	> I	Locations sediment, soil, or materials will be			
	S	stockpiled Y/N	ш	\boxtimes	
		Locations of crossings of surface waters Y/N	Y	N	
		Designated points vehicles exit onto paved			
		oads Y/N			
		Locations of structures/impervious surfaces			
		upon completion \overline{Y}/N			
		Locations of construction support activity			
		reas Y/N/NA			
		7.2.6.1			
		Locations of surface waters/wetlands, within			
		or in immediate vicinity Y/N/NA			
		ndicates waters listed as impaired, and Tier	\boxtimes	Ш	
		$\frac{1}{2}$, Tier 2.5, or Tier 3 $\frac{1}{2}$ /N	Y	N	
		7.2.6.2			
		Boundary lines of natural buffers	\boxtimes		
		7.2.6.3, 2.1.2.1a		<u> </u>	
			Y	N	
		Areas of federally-listed critical habitat for			N/A
		endangered or threatened species 7.2.6.4	Y	N	11/71
J		7.2.0.4 Γopography Υ/ <mark>N</mark>			
ļ				\boxtimes	
		Existing vegetative cover V/NI			
	> I	Existing vegetative cover Y/N Drainage pattern of stormwater/authorized	Y	N	

non-stormwater flow onto, over, and from site before and after major grading Y/N			
Part 7.2.6.5			
 Stormwater and allowable non-stormwater discharge locations Y/N Locations of storm drain inlets on site and 			
immediate vicinity Y/N ➤ Locations stormwater or allowable non- stormwater will be discharged to surface waters (including wetlands) on or near site Y/N Part 7.2.6.6	Y	N	
Locations of potential pollutant-generating activities Part 7.2.6.7, Part 7.2.7	X Y	□ N	
Locations of control measures Part 7.2.6.8	X Y	□ N	
Locations polymers, flocculants, or treatment chemicals will be used/stored Part 7.2.6.9	Y	□ N	N/A
Construction Site Pollutants			Notes:
Includes pollutant-generating activities list and	\boxtimes		
description? Part 7.2.7.1	Y	N	
Includes inventory of pollutants or			
constituents?			
➤ Inventory Y/N			
> Potential spills/leaks Y/N	\boxtimes		
Departures from manufacturer's	Y	N	
specifications for applying fertilizers			
containing nitrogen & phosphorus Y/N/NA			
Parts 7.2.7.2, 2.3.5.1			
Identifies all sources of allowable non- stormwater discharges?	\boxtimes		
Parts 7.2.8, 1.3.d	Y	N	
If required (surface water wi/50 feet of earth			
disturbance), documents and describes <u>buffer</u>			Straw waddles placed between construction site and
<u>compliance alternative</u> selected?			surface water. Waddles destroyed or covered up in
Ensures that all discharges from the area of			some areas.
earth disturbance to the natural buffer are first			
treated by the site's erosion and sediment controls Y/N/NA			
 Uses velocity dissipation devices, if necessary 			
	_		
Documents natural buffer width Y/N/NA	Ш	\boxtimes	
> Delineates, and clearly marks off, with flags,	Y	N	
tape, or other similar marking device all			
natural buffer areas Y/N/NA			
Documents erosion and sediment control(s)			
used to achieve an equivalent sediment reduction \frac{Y}{N}NA			
> Documents any information relied upon to			
demonstrate equivalency Y/N/NA			

As	applicable, describes and documents <u>buffer</u>			
exc	eptions?			
\triangleright	Describes rationale/why infeasible to provide			NA
	and maintain an undisturbed natural buffer of			
	any size Y/N/NA			
	For linear project, describes buffer width			
	retained and supplemental controls installed			
		Y	N	
	Y/N/NA	-	- '	
>	Small residential lot options Y/N/NA			
	Documents CWA Section 404 Permit, water-			
	dependent structure/access disturbances			
	Y/N/NA			
Par	rts 7.2. 9; 2.1.2.1e, Appendix G			
	All Stormwater Control Measures			Notes:
Des	scribes each measure?			
	Type of measure to be installed and			
	maintained, including design information			
	Y/N			
>	Specific sediment controls installed and made			
	•			
	operational prior to conducting earth-			
	disturbing activities Y/N	\boxtimes		
	For exit points, stabilization techniques and	Y	N	
	any additional controls planned to remove			
	sediment prior to vehicle exit Y/N			
	For linear projects (if applicable), where/why			
	it has been determined that the use of			
	perimeter controls is practicable Y/N/NA			
Par	rt 7.2.10.1			
	Erosion and Sediment Controls			Notes:
	Erosion and Sediment Controls	П	\square	Notes:
Mi		V	× N	Notes: Entire site disturbed.
Mi Par	Erosion and Sediment Controls nimizes area of disturbance? rt 2.1.1.1	Y	N	
Mi Par Des	Erosion and Sediment Controls nimizes area of disturbance? rt 2.1.1.1 scribes erosion and sediment control design	_		
Mi Par Des	Erosion and Sediment Controls nimizes area of disturbance? rt 2.1.1.1 scribes erosion and sediment control design uirements?	_		
Mi Par Des	Erosion and Sediment Controls nimizes area of disturbance? rt 2.1.1.1 scribes erosion and sediment control design quirements? Accounts for expected amount, frequency,	_		
Mi Par Des req	Erosion and Sediment Controls nimizes area of disturbance? rt 2.1.1.1 scribes erosion and sediment control design quirements? Accounts for expected amount, frequency, intensity, duration of precipitation Y/N	_		
Mi Par Des	Erosion and Sediment Controls nimizes area of disturbance? rt 2.1.1.1 scribes erosion and sediment control design quirements? Accounts for expected amount, frequency, intensity, duration of precipitation Y/N Accounts for nature of run-on and run-off	_		
Mi Par Des req	Erosion and Sediment Controls nimizes area of disturbance? rt 2.1.1.1 scribes erosion and sediment control design quirements? Accounts for expected amount, frequency, intensity, duration of precipitation Y/N Accounts for nature of run-on and run-off (channelized peak flow rates & total volume	_		Entire site disturbed.
Mi Par Des req	Erosion and Sediment Controls nimizes area of disturbance? Pt 2.1.1.1 Scribes erosion and sediment control design quirements? Accounts for expected amount, frequency, intensity, duration of precipitation \(\frac{Y}{N}\) Accounts for nature of run-on and run-off (channelized peak flow rates & total volume at outlet) \(\frac{Y}{N}\)	_		Entire site disturbed. The soil loss calculations, per 9.4.1.1, found on page
Mi Par Des req	Erosion and Sediment Controls nimizes area of disturbance? et 2.1.1.1 scribes erosion and sediment control design quirements? Accounts for expected amount, frequency, intensity, duration of precipitation \boxed{Y}/N Accounts for nature of run-on and run-off (channelized peak flow rates & total volume at outlet) \boxed{Y}/N Accounts for range of soil particle sizes	_		Entire site disturbed. The soil loss calculations, per 9.4.1.1, found on page 13 of the SWPPP do not include the soil erosion rates
Mi Pan Des	Erosion and Sediment Controls nimizes area of disturbance? Pt 2.1.1.1 Scribes erosion and sediment control design quirements? Accounts for expected amount, frequency, intensity, duration of precipitation \(\frac{Y}{N}\) Accounts for nature of run-on and run-off (channelized peak flow rates & total volume at outlet) \(\frac{Y}{N}\)	_		The soil loss calculations, per 9.4.1.1, found on page 13 of the SWPPP do not include the soil erosion rates during the construction phase. It only gives the
Mi Pan Des	Erosion and Sediment Controls nimizes area of disturbance? et 2.1.1.1 scribes erosion and sediment control design quirements? Accounts for expected amount, frequency, intensity, duration of precipitation \boxed{Y}/N Accounts for nature of run-on and run-off (channelized peak flow rates & total volume at outlet) \boxed{Y}/N Accounts for range of soil particle sizes	_		Entire site disturbed. The soil loss calculations, per 9.4.1.1, found on page 13 of the SWPPP do not include the soil erosion rates
Mi Pan Des	Erosion and Sediment Controls nimizes area of disturbance? It 2.1.1.1 Seribes erosion and sediment control design uirements? Accounts for expected amount, frequency, intensity, duration of precipitation Y/N Accounts for nature of run-on and run-off (channelized peak flow rates & total volume at outlet) Y/N Accounts for range of soil particle sizes (distribution, erosivity and cohesiveness) Y/N	_		The soil loss calculations, per 9.4.1.1, found on page 13 of the SWPPP do not include the soil erosion rates during the construction phase. It only gives the
Mii Pan Des	Erosion and Sediment Controls nimizes area of disturbance? It 2.1.1.1 Seribes erosion and sediment control design uirements? Accounts for expected amount, frequency, intensity, duration of precipitation \(\frac{Y}{N}\) Accounts for nature of run-on and run-off (channelized peak flow rates & total volume at outlet) \(\frac{Y}{N}\) Accounts for range of soil particle sizes (distribution, erosivity and cohesiveness)	_	N	The soil loss calculations, per 9.4.1.1, found on page 13 of the SWPPP do not include the soil erosion rates during the construction phase. It only gives the
Mii Pan Des	Erosion and Sediment Controls nimizes area of disturbance? et 2.1.1.1 scribes erosion and sediment control design nuirements? Accounts for expected amount, frequency, intensity, duration of precipitation Y/N Accounts for nature of run-on and run-off (channelized peak flow rates & total volume at outlet) Y/N Accounts for range of soil particle sizes (distribution, erosivity and cohesiveness) Y/N Directs discharge to vegetated areas to increase sediment removal and infiltration	Y	N	The soil loss calculations, per 9.4.1.1, found on page 13 of the SWPPP do not include the soil erosion rates during the construction phase. It only gives the
Mi Pan Des	Erosion and Sediment Controls nimizes area of disturbance? rt 2.1.1.1 scribes erosion and sediment control design nuirements? Accounts for expected amount, frequency, intensity, duration of precipitation \(\frac{Y}{N} \) Accounts for nature of run-on and run-off (channelized peak flow rates & total volume at outlet) \(\frac{Y}{N} \) Accounts for range of soil particle sizes (distribution, erosivity and cohesiveness) \(\frac{Y}{N} \) Directs discharge to vegetated areas to increase sediment removal and infiltration unless infeasible \(\frac{Y}{N} \) And \(\frac{Y}{N} \)	_	N	The soil loss calculations, per 9.4.1.1, found on page 13 of the SWPPP do not include the soil erosion rates during the construction phase. It only gives the
Mii Pan Des req	Erosion and Sediment Controls nimizes area of disturbance? rt 2.1.1.1 scribes erosion and sediment control design quirements? Accounts for expected amount, frequency, intensity, duration of precipitation \(\frac{Y}{N} \) Accounts for nature of run-on and run-off (channelized peak flow rates & total volume at outlet) \(\frac{Y}{N} \) Accounts for range of soil particle sizes (distribution, erosivity and cohesiveness) \(\frac{Y}{N} \) Directs discharge to vegetated areas to increase sediment removal and infiltration unless infeasible \(\frac{Y}{N} \) Uses velocity dissipation, if necessary \(\frac{Y}{N} \)	Y	N	The soil loss calculations, per 9.4.1.1, found on page 13 of the SWPPP do not include the soil erosion rates during the construction phase. It only gives the
Mi Pan Des	Erosion and Sediment Controls nimizes area of disturbance? It 2.1.1.1 scribes erosion and sediment control design quirements? Accounts for expected amount, frequency, intensity, duration of precipitation \(\frac{V}{N} \) Accounts for nature of run-on and run-off (channelized peak flow rates & total volume at outlet) \(\frac{V}{N} \) Accounts for range of soil particle sizes (distribution, erosivity and cohesiveness) \(\frac{V}{N} \) Directs discharge to vegetated areas to increase sediment removal and infiltration unless infeasible \(\frac{V}{N} \) Uses velocity dissipation, if necessary \(\frac{V}{N} \) Complies with State of New Mexico except	Y	N	The soil loss calculations, per 9.4.1.1, found on page 13 of the SWPPP do not include the soil erosion rates during the construction phase. It only gives the
Mii Pan Des req	Erosion and Sediment Controls nimizes area of disturbance? It 2.1.1.1 Seribes erosion and sediment control design nuirements? Accounts for expected amount, frequency, intensity, duration of precipitation Y/N Accounts for nature of run-on and run-off (channelized peak flow rates & total volume at outlet) Y/N Accounts for range of soil particle sizes (distribution, erosivity and cohesiveness) Y/N Directs discharge to vegetated areas to increase sediment removal and infiltration unless infeasible Y/N/NA Uses velocity dissipation, if necessary Y/N Complies with State of New Mexico except Indian country requirements:	Y	N	The soil loss calculations, per 9.4.1.1, found on page 13 of the SWPPP do not include the soil erosion rates during the construction phase. It only gives the
Mii Pam Des req	Erosion and Sediment Controls nimizes area of disturbance? It 2.1.1.1 Seribes erosion and sediment control design nuirements? Accounts for expected amount, frequency, intensity, duration of precipitation Y/N Accounts for nature of run-on and run-off (channelized peak flow rates & total volume at outlet) Y/N Accounts for range of soil particle sizes (distribution, erosivity and cohesiveness) Y/N Directs discharge to vegetated areas to increase sediment removal and infiltration unless infeasible Y/N/NA Uses velocity dissipation, if necessary Y/N Complies with State of New Mexico except Indian country requirements: Includes site-specific BMPs/controls	Y	N	The soil loss calculations, per 9.4.1.1, found on page 13 of the SWPPP do not include the soil erosion rates during the construction phase. It only gives the
Mii Pam Des req	Erosion and Sediment Controls nimizes area of disturbance? et 2.1.1.1 scribes erosion and sediment control design nuirements? Accounts for expected amount, frequency, intensity, duration of precipitation \(\frac{Y}{N} \) Accounts for nature of run-on and run-off (channelized peak flow rates & total volume at outlet) \(\frac{Y}{N} \) Accounts for range of soil particle sizes (distribution, erosivity and cohesiveness) \(\frac{Y}{N} \) Directs discharge to vegetated areas to increase sediment removal and infiltration unless infeasible \(\frac{Y}{N} \) Uses velocity dissipation, if necessary \(\frac{Y}{N} \) Complies with State of New Mexico except Indian country requirements: o Includes site-specific BMPs/controls designed to prevent to the maximum	Y	N	The soil loss calculations, per 9.4.1.1, found on page 13 of the SWPPP do not include the soil erosion rates during the construction phase. It only gives the
Mii Pam Des req	Erosion and Sediment Controls nimizes area of disturbance? et 2.1.1.1 scribes erosion and sediment control design nuirements? Accounts for expected amount, frequency, intensity, duration of precipitation Y/N Accounts for nature of run-on and run-off (channelized peak flow rates & total volume at outlet) Y/N Accounts for range of soil particle sizes (distribution, erosivity and cohesiveness) Y/N Directs discharge to vegetated areas to increase sediment removal and infiltration unless infeasible Y/N/NA Uses velocity dissipation, if necessary Y/N Complies with State of New Mexico except Indian country requirements: Includes site-specific BMPs/controls designed to prevent to the maximum extent practicable an increase in	Y	N	The soil loss calculations, per 9.4.1.1, found on page 13 of the SWPPP do not include the soil erosion rates during the construction phase. It only gives the
Mii Pam Des req	Erosion and Sediment Controls nimizes area of disturbance? et 2.1.1.1 scribes erosion and sediment control design quirements? Accounts for expected amount, frequency, intensity, duration of precipitation \(\frac{Y}{N} \) Accounts for nature of run-on and run-off (channelized peak flow rates & total volume at outlet) \(\frac{Y}{N} \) Accounts for range of soil particle sizes (distribution, erosivity and cohesiveness) \(\frac{Y}{N} \) Directs discharge to vegetated areas to increase sediment removal and infiltration unless infeasible \(\frac{Y}{N} \) Uses velocity dissipation, if necessary \(\frac{Y}{N} \) Complies with State of New Mexico except Indian country requirements: Includes site-specific BMPs/controls designed to prevent to the maximum extent practicable an increase in sediment yield/flow velocity from pre-	Y	N	The soil loss calculations, per 9.4.1.1, found on page 13 of the SWPPP do not include the soil erosion rates during the construction phase. It only gives the
Mii Pam Des req	Erosion and Sediment Controls nimizes area of disturbance? rt 2.1.1.1 scribes erosion and sediment control design nuirements? Accounts for expected amount, frequency, intensity, duration of precipitation \(\frac{Y}{N} \) Accounts for nature of run-on and run-off (channelized peak flow rates & total volume at outlet) \(\frac{Y}{N} \) Accounts for range of soil particle sizes (distribution, erosivity and cohesiveness) \(\frac{Y}{N} \) Directs discharge to vegetated areas to increase sediment removal and infiltration unless infeasible \(\frac{Y}{N} \) Uses velocity dissipation, if necessary \(\frac{Y}{N} \) Complies with State of New Mexico except Indian country requirements: Includes site-specific BMPs/controls designed to prevent to the maximum extent practicable an increase in sediment yield/flow velocity from pre- construction, pre-development	Y	N	The soil loss calculations, per 9.4.1.1, found on page 13 of the SWPPP do not include the soil erosion rates during the construction phase. It only gives the
Mii Pam Des req	Erosion and Sediment Controls nimizes area of disturbance? rt 2.1.1.1 scribes erosion and sediment control design nuirements? Accounts for expected amount, frequency, intensity, duration of precipitation \(\frac{Y}{N} \) Accounts for nature of run-on and run-off (channelized peak flow rates & total volume at outlet) \(\frac{Y}{N} \) Accounts for range of soil particle sizes (distribution, erosivity and cohesiveness) \(\frac{Y}{N} \) Directs discharge to vegetated areas to increase sediment removal and infiltration unless infeasible \(\frac{Y}{N} \) Complies with State of New Mexico except Indian country requirements: o Includes site-specific BMPs/controls designed to prevent to the maximum extent practicable an increase in sediment yield/flow velocity from pre- construction, pre-development conditions both during and after	Y	N	The soil loss calculations, per 9.4.1.1, found on page 13 of the SWPPP do not include the soil erosion rates during the construction phase. It only gives the
Mii Pam Des req	Erosion and Sediment Controls nimizes area of disturbance? rt 2.1.1.1 scribes erosion and sediment control design quirements? Accounts for expected amount, frequency, intensity, duration of precipitation \(\frac{V}{N} \) Accounts for nature of run-on and run-off (channelized peak flow rates & total volume at outlet) \(\frac{V}{N} \) Accounts for range of soil particle sizes (distribution, erosivity and cohesiveness) \(\frac{V}{N} \) Directs discharge to vegetated areas to increase sediment removal and infiltration unless infeasible \(\frac{V}{N} \) Complies with State of New Mexico except Indian country requirements: o Includes site-specific BMPs/controls designed to prevent to the maximum extent practicable an increase in sediment yield/flow velocity from preconstruction, pre-development conditions both during and after construction Y	Y	N	The soil loss calculations, per 9.4.1.1, found on page 13 of the SWPPP do not include the soil erosion rates during the construction phase. It only gives the
Mii Pam Des req	Erosion and Sediment Controls nimizes area of disturbance? rt 2.1.1.1 scribes erosion and sediment control design nuirements? Accounts for expected amount, frequency, intensity, duration of precipitation \(\frac{Y}{N} \) Accounts for nature of run-on and run-off (channelized peak flow rates & total volume at outlet) \(\frac{Y}{N} \) Accounts for range of soil particle sizes (distribution, erosivity and cohesiveness) \(\frac{Y}{N} \) Directs discharge to vegetated areas to increase sediment removal and infiltration unless infeasible \(\frac{Y}{N} \) Complies with State of New Mexico except Indian country requirements: o Includes site-specific BMPs/controls designed to prevent to the maximum extent practicable an increase in sediment yield/flow velocity from pre- construction, pre-development conditions both during and after	Y	N	The soil loss calculations, per 9.4.1.1, found on page 13 of the SWPPP do not include the soil erosion rates during the construction phase. It only gives the

	yields/flow velocities, that to the maximum extent practicable, will not be greater than the sediment yield levels			
	and flow velocities from pre-			
	construction, pre-development			
	conditions) Y/N			
	ts 2.1.1.2, 9.4.1.1			
	cribes erosion and sediment control			
	allation requirements?			
	Completes installation of downgradient			
	stormwater/sediment controls by the time or immediately following earth-disturbance			
	begins unless infeasible $\overline{Y}/N/NA$	\boxtimes		
>	Installs all other controls and makes	Y	N	
	operational as soon as conditions allow Y/N	I	11	
>	Uses good engineering practices and follows			
	manufacturer's specifications or explain			
	departures Y/N			
	t 2.1.1.3			
	cribes erosion and sediment control			
mai	ntenance requirements?			
	Initiates fix immediately and completed by			
	close of next work day (routine maintenance)	\boxtimes		
>	Installs new measure/significant repair no	Y	N	
	later than 7 calendar days or document why			
	infeasible $ Y /N$			
Par	t 2.1.1.4			
	alls perimeter controls and describes			
	ntenance (removes sediment before it has	\square		
mai acc	ntenance (removes sediment before it has umulated to 1/2 of the above-ground	V	□ N	
mai acc hei	ntenance (removes sediment before it has umulated to 1/2 of the above-ground ght)?	X Y	□ N	
mai acc heig	ntenance (removes sediment before it has umulated to 1/2 of the above-ground ght)? t 2.1.2.2		_	
mai acc heig Par Min	ntenance (removes sediment before it has umulated to 1/2 of the above-ground ght)? t 2.1.2.2 nimizes sediment track-out?		_	
mai acc heig	ntenance (removes sediment before it has umulated to 1/2 of the above-ground wht)? t 2.1.2.2 nimizes sediment track-out? Restricts vehicle use to properly designated		_	Secondary entrance road going to Paseo Las Terrazas
mai acc hei Par Min	ntenance (removes sediment before it has umulated to 1/2 of the above-ground ght)? t 2.1.2.2 nimizes sediment track-out? Restricts vehicle use to properly designated exit points? Y/N		_	Secondary entrance road going to Paseo Las Terrazas does not have any BMP's in place to prevent track
mai acc heig Par Min	ntenance (removes sediment before it has umulated to 1/2 of the above-ground wht)? t 2.1.2.2 nimizes sediment track-out? Restricts vehicle use to properly designated		N	Secondary entrance road going to Paseo Las Terrazas does not have any BMP's in place to prevent track out.
mai acc hei Par Min	ntenance (removes sediment before it has amulated to 1/2 of the above-ground ght)? t 2.1.2.2 nimizes sediment track-out? Restricts vehicle use to properly designated exit points? Y/N Uses appropriate stabilization techniques at	Y	N	does not have any BMP's in place to prevent track
mai acc heig Par Min	ntenance (removes sediment before it has amulated to 1/2 of the above-ground ght)? t 2.1.2.2 nimizes sediment track-out? Restricts vehicle use to properly designated exit points? Y/N Uses appropriate stabilization techniques at all points that exit onto paved roads? Y/N Where necessary, uses additional measures to remove sediment prior to exit? Y/N/NA		N	does not have any BMP's in place to prevent track
mai acc heig Par Min	ntenance (removes sediment before it has amulated to 1/2 of the above-ground ght)? t 2.1.2.2 nimizes sediment track-out? Restricts vehicle use to properly designated exit points? Y/N Uses appropriate stabilization techniques at all points that exit onto paved roads? Y/N Where necessary, uses additional measures to remove sediment prior to exit? Y/N/NA Removes tracked out sediment prior to the	Y	N	does not have any BMP's in place to prevent track
mai acc heig Par Min	ntenance (removes sediment before it has amulated to 1/2 of the above-ground (ht)? It 2.1.2.2 nimizes sediment track-out? Restricts vehicle use to properly designated exit points? Y/N Uses appropriate stabilization techniques at all points that exit onto paved roads? Y/N Where necessary, uses additional measures to remove sediment prior to exit? Y/N/NA Removes tracked out sediment prior to the end of the same work day or if occurs on	Y	N	does not have any BMP's in place to prevent track
mai acc heig Par Min	ntenance (removes sediment before it has amulated to 1/2 of the above-ground (ht)? It 2.1.2.2 nimizes sediment track-out? Restricts vehicle use to properly designated exit points? Y/N Uses appropriate stabilization techniques at all points that exit onto paved roads? Y/N Where necessary, uses additional measures to remove sediment prior to exit? Y/N/NA Removes tracked out sediment prior to the end of the same work day or if occurs on non-work day the next work day? Y/N	Y	N	does not have any BMP's in place to prevent track
mai acc heigh ac	ntenance (removes sediment before it has amulated to 1/2 of the above-ground ght)? It 2.1.2.2 nimizes sediment track-out? Restricts vehicle use to properly designated exit points? Y/N Uses appropriate stabilization techniques at all points that exit onto paved roads? Y/N Where necessary, uses additional measures to remove sediment prior to exit? Y/N/NA Removes tracked out sediment prior to the end of the same work day or if occurs on non-work day the next work day? Y/N It 2.1.2.3	Y	N	does not have any BMP's in place to prevent track
mai acc heig Pan Min >	ntenance (removes sediment before it has amulated to 1/2 of the above-ground ght)? t 2.1.2.2 nimizes sediment track-out? Restricts vehicle use to properly designated exit points? Y/N Uses appropriate stabilization techniques at all points that exit onto paved roads? Y/N Where necessary, uses additional measures to remove sediment prior to exit? Y/N/NA Removes tracked out sediment prior to the end of the same work day or if occurs on non-work day the next work day? Y/N t 2.1.2.3 ntrols discharges from stockpiled sediment	Y	N	does not have any BMP's in place to prevent track
mai acc heighan Min > Pan Cor s	ntenance (removes sediment before it has amulated to 1/2 of the above-ground ght)? t 2.1.2.2 nimizes sediment track-out? Restricts vehicle use to properly designated exit points? Y/N Uses appropriate stabilization techniques at all points that exit onto paved roads? Y/N Where necessary, uses additional measures to remove sediment prior to exit? Y/N/NA Removes tracked out sediment prior to the end of the same work day or if occurs on non-work day the next work day? Y/N t 2.1.2.3 ntrols discharges from stockpiled sediment oil?	Y	N	does not have any BMP's in place to prevent track
mai acc heig Pan Min >	ntenance (removes sediment before it has amulated to 1/2 of the above-ground (ht)? It 2.1.2.2 nimizes sediment track-out? Restricts vehicle use to properly designated exit points? Y/N Uses appropriate stabilization techniques at all points that exit onto paved roads? Y/N Where necessary, uses additional measures to remove sediment prior to exit? Y/N/NA Removes tracked out sediment prior to the end of the same work day or if occurs on non-work day the next work day? Y/N It 2.1.2.3 Atrols discharges from stockpiled sediment oil? Locates piles outside of buffers Y/N	Y	N	does not have any BMP's in place to prevent track
mai acc heigh ac	ntenance (removes sediment before it has amulated to 1/2 of the above-ground (ht)? It 2.1.2.2 nimizes sediment track-out? Restricts vehicle use to properly designated exit points? Y/N Uses appropriate stabilization techniques at all points that exit onto paved roads? Y/N Where necessary, uses additional measures to remove sediment prior to exit? Y/N/NA Removes tracked out sediment prior to the end of the same work day or if occurs on non-work day the next work day? Y/N It 2.1.2.3 Introls discharges from stockpiled sediment oil? Locates piles outside of buffers Y/N Locates piles separate from stormwater	Y	N	does not have any BMP's in place to prevent track
mai acc heigh ac	ntenance (removes sediment before it has amulated to 1/2 of the above-ground ght)? t 2.1.2.2 nimizes sediment track-out? Restricts vehicle use to properly designated exit points? Y/N Uses appropriate stabilization techniques at all points that exit onto paved roads? Y/N Where necessary, uses additional measures to remove sediment prior to exit? Y/N/NA Removes tracked out sediment prior to the end of the same work day or if occurs on non-work day the next work day? Y/N t 2.1.2.3 ntrols discharges from stockpiled sediment oil? Locates piles outside of buffers Y/N Locates piles separate from stormwater controls Y/N	Y	N X X	does not have any BMP's in place to prevent track
mai acc height h	ntenance (removes sediment before it has amulated to 1/2 of the above-ground (ht)? It 2.1.2.2 nimizes sediment track-out? Restricts vehicle use to properly designated exit points? Y/N Uses appropriate stabilization techniques at all points that exit onto paved roads? Y/N Where necessary, uses additional measures to remove sediment prior to exit? Y/N/NA Removes tracked out sediment prior to the end of the same work day or if occurs on non-work day the next work day? Y/N It 2.1.2.3 Introls discharges from stockpiled sediment oil? Locates piles outside of buffers Y/N Locates piles separate from stormwater	Y	N X	does not have any BMP's in place to prevent track
mai acc height h	ntenance (removes sediment before it has amulated to 1/2 of the above-ground (ht)? It 2.1.2.2 nimizes sediment track-out? Restricts vehicle use to properly designated exit points? Y/N Uses appropriate stabilization techniques at all points that exit onto paved roads? Y/N Where necessary, uses additional measures to remove sediment prior to exit? Y/N/NA Removes tracked out sediment prior to the end of the same work day or if occurs on non-work day the next work day? Y/N It 2.1.2.3 Introls discharges from stockpiled sediment oil? Locates piles outside of buffers Y/N Locates piles separate from stormwater controls Y/N Uses temporary sediment barrier Y/N/NA	Y	N X X	does not have any BMP's in place to prevent track
mai acc height h	Intenance (removes sediment before it has amulated to 1/2 of the above-ground (ht)? It 2.1.2.2 Imizes sediment track-out? Restricts vehicle use to properly designated exit points? Y/N Uses appropriate stabilization techniques at all points that exit onto paved roads? Y/N Where necessary, uses additional measures to remove sediment prior to exit? Y/N/NA Removes tracked out sediment prior to the end of the same work day or if occurs on non-work day the next work day? Y/N It 2.1.2.3 Introls discharges from stockpiled sediment oil? Locates piles outside of buffers Y/N Locates piles separate from stormwater controls Y/N Uses temporary sediment barrier Y/N/NA Where practicable, provides cover or temporary stabilization Y/N/NA Does not hose down or sweep into	Y	N X	does not have any BMP's in place to prevent track
mai acc heighan Min > Pan Con or s > Pan	Intenance (removes sediment before it has amulated to 1/2 of the above-ground (ht)? It 2.1.2.2 Imizes sediment track-out? Restricts vehicle use to properly designated exit points? Y/N Uses appropriate stabilization techniques at all points that exit onto paved roads? Y/N Where necessary, uses additional measures to remove sediment prior to exit? Y/N/NA Removes tracked out sediment prior to the end of the same work day or if occurs on non-work day the next work day? Y/N It 2.1.2.3 Introls discharges from stockpiled sediment oil? Locates piles outside of buffers Y/N Locates piles separate from stormwater controls Y/N Uses temporary sediment barrier Y/N/NA Where practicable, provides cover or temporary stabilization Y/N/NA Does not hose down or sweep into stormwater conveyance unless connected to	Y	N X	does not have any BMP's in place to prevent track
mai acc height from the part of the part o	Intenance (removes sediment before it has amulated to 1/2 of the above-ground (ht)? It 2.1.2.2 Iminizes sediment track-out? Restricts vehicle use to properly designated exit points? Y/N Uses appropriate stabilization techniques at all points that exit onto paved roads? Y/N Where necessary, uses additional measures to remove sediment prior to exit? Y/N/NA Removes tracked out sediment prior to the end of the same work day or if occurs on non-work day the next work day? Y/N t 2.1.2.3 Introls discharges from stockpiled sediment oil? Locates piles outside of buffers Y/N Locates piles separate from stormwater controls Y/N Uses temporary sediment barrier Y/N/NA Where practicable, provides cover or temporary stabilization Y/N/NA Does not hose down or sweep into stormwater conveyance unless connected to basin, trap, etc. Y/N	Y	N X	does not have any BMP's in place to prevent track
mai acc heighan Min > Pan Con or s > Pan	Intenance (removes sediment before it has amulated to 1/2 of the above-ground (ht)? It 2.1.2.2 Imizes sediment track-out? Restricts vehicle use to properly designated exit points? Y/N Uses appropriate stabilization techniques at all points that exit onto paved roads? Y/N Where necessary, uses additional measures to remove sediment prior to exit? Y/N/NA Removes tracked out sediment prior to the end of the same work day or if occurs on non-work day the next work day? Y/N It 2.1.2.3 Introls discharges from stockpiled sediment oil? Locates piles outside of buffers Y/N Locates piles separate from stormwater controls Y/N Uses temporary sediment barrier Y/N/NA Where practicable, provides cover or temporary stabilization Y/N/NA Does not hose down or sweep into stormwater conveyance unless connected to	Y	N X	does not have any BMP's in place to prevent track

		_	
Part 2.1.2.4			
Minimizes dust?	\boxtimes		Water truck on site.
Part 2.1,2.5	Y		
		N	
Minimizes disturbance of <u>steep slopes</u> ?	\boxtimes		
Part 2.1.2.6	Y	N	
Preserves topsoil, unless infeasible?	\boxtimes		Entire site regraded, infeasible.
Part 2.1.2.7			Entire site regraded, inicustore.
1 (111 2.1.2.)	Y	N	
Minimizes soil compaction where final			
vegetative stabilization or infiltration installed?	\boxtimes	Ш	
Part 2.1.2.8	Y	N	
Protects storm drain inlets and describes			
maintenance requirements (removes sediment	\boxtimes		
by the end of the same work day or end of the			
following work day)?	Y	N	
Part 2.1.2.9			
Describes constructed conveyance channel			
controls (if installed)?	\boxtimes		
Part 2.1.3.1	Y	N	
		- '	
Describes <u>sediment basin</u> design (if installed)		_	
and maintenance (maintain at least ½ of	\boxtimes	Ш	Small sediment basins on south side.
capacity at all times)?	Y	N	
Part 2.1.3.2			
Describes <u>treatment chemical</u> controls (if			
used)?	Ш	Ш	N/A
Part 2.1.3.3	Y	N	
Includes documentation for use of treatment			
chemicals (polymers, flocculants, or other			
treatment chemicals)?			
Lists all soil types expected to be exposed			
and locations where chemicals will be			
applied. Also include a list of soil types			
expected to be found in fill material to be			
used in same areas Y/N			
Lists all treatment chemicals and why the			
selection of these chemicals is suited to the			
soil characteristics Y/N			
➤ If authorized by EPA to use cationic			
treatment chemicals, includes the specific			
controls and implementation procedures			37/4
designed to ensure use of cationic treatment		П	N/A
chemicals will not lead to a violation of water	Y	_	
quality standards Y/N/NA	Y	N	
Dosage/methodology to determine dosage			
Y/N			
➤ Information from any applicable MSDS Y/N			
Schematic drawings of any chemically-			
enhanced or chemical treatment systems			
Y/N/NA			
 Description of how chemicals will be stored 			
Y/N			
References to applicable state or local			
requirements and copies of applicable			
manufacturer's specifications Y/N			
Description of training that personnel have			
received or will receive Y/N			
Parts 7 2 10 2 2 1 3 3h			

Des	cribes <u>dewatering</u> controls (if installed)?			N/A
Par	t 2.1.3.4	Y	N	
	Stabilization Requirements			Notes:
Des	cribes compliance with deadlines for			
	etative and/or non-vegetative stabilization			
	ctices, including exceptions?			
Dea	adline to Initiate			
	Initiates stabilization immediately (no later			
	than end of next work day following earth-			
	disturbing activities permanently/temporarily			
Dog	ceased) Y/N			
<u>Dea</u>	Addine to Complete As soon as practicable, but no later 14			
	calendar days after initiation, completes			
	stabilization (for vegetative, all activities to			
	initially seed or plant, and/or for non-			
	vegetative, installation or application) \(\overline{Y} \setminus N \)			
>	In arid, semi-arid or drought-stricken areas			
	for permanent stabilization, immediately	\boxtimes		
	initiates, and within 14 calendar days	Y	N	
	completes non-vegetative stabilization			
	measures to prevent erosion; and as soon as			
	practicable completes all activities necessary			
	to initially seed or plant; and documents beginning/ending dates of the seasonally dry			
	period, site conditions, and schedule $\overline{Y}/N/NA$			
>	Documents/describes circumstances beyond			
	control that prevent meeting deadlines			
	N/NA			
>	If discharging to sediment or nutrient-			
	impaired waters or Tier 2 , 2.5 or 3 waters,			
	completes stabilization (vegetative or non-			
	vegetative) wi/7 calendar days after			
	temporary or permanent cessation Y/N/NA			
	ts 7.2.10.3, 2.2.1, 3, 9.4.1.3			
	cribes compliance with vegetative (final) pilization criteria?			
Star	Provides uniform vegetation (e.g., evenly			
	distributed, without large bare areas)			
	perennial vegetative cover with a density of			
	70% of the native background vegetative			
	cover for all unpaved areas / areas not			
	covered by permanent structures Y/N	\boxtimes		
>	Immediately after seeding or planting the	Y	N	
	area to be vegetative stabilized, to the extent			
	necessary to prevent erosion on the seeded or			
	planted area, select, design, and install non- vegetative erosion controls that provide cover			
	while vegetation is becoming established			
	Y/N			
Par	ts 7.2.10.3. 2.2.2.a. 3. 9.4.1.4			

If applicable, describes compliance with State of			
New Mexico, except Indian country, arid, semi-			
arid areas, or drought stricken option for final			
stabilization:			
➤ Area seeded/planted must wi/3 yrs provides			N/A-active site.
established vegetation that achieves 70% of the			
native background vegetative cover Y/N/NA	Ш	Ш	
> Selects, designs, and installs non-vegetative	Y	N	
erosion controls that provide cover for at least 3			
years without active maintenance Y/N/N/A			
Complies with notification, inspection			
maintenance, and reporting) Y/N/NA			
Parts 7.2.10.3, 2.2.2.b, 3, 9.4.1.5			
If using, provides effective non-vegetative cover to			N/A
stabilize?		Ш	
Parts 7.2.10.3, 2.2.2.2	Y	N	
Pollution Prevention Procedures			Notes:
Describes procedures for spill prevention and		Г	
response?	\boxtimes		
Parts 7.2.11.1, 2.3.4	Y	N	
Describes procedures for waste management?	\boxtimes		
Part 7.2.11.2, 2.3.3.3	Y	N	
Eliminates prohibited discharges?			
Concrete washout, unless managed by control in			
Part 2.3.3.4 Y/N			
➤ Washout/cleanout of stucco, paint, form release			
oils, curing compounds and other materials			
unless managed by control in Part 2.3.3.4 Y/N			
Fuels, oils or other from vehicle and equipment	\boxtimes	Ш	
O&M Y/N	Y	N	
Soaps, solvents, or detergents used in vehicle			
and equipment washing Y/N			
Toxic or hazardous substances from spill/release			
<u>Y</u> /N			
Part 2.3.1			
Properly maintains and protects all pollution	\boxtimes		
prevention controls?			
Part 2.3.2	Y	N	
Complies with pollution prevention standards for			
certain activities?			
Fueling/maintenance of equipment or vehicles			
Y/N/NA	\boxtimes		
➤ Washing of equipment and vehicles Y/N/NA	Y	N	
Storage, handling, disposal of materials,	1	IN	
products and waste Y/N/NA			
➤ Washing applicators/containers Y/N/NA			
Part 2.3.3			
Minimizes discharge/complies with restrictions of	\boxtimes		
fertilizer application?	Y	N	
Part 2.3.5	1	Τ.Μ	

	Inspections and Corrective Action					
	PPP describes procedures for inspection,					
ma	intenance, and corrective action?					
	Personnel conducting inspections Y/N					
	Inspection schedule Y/N					
	Reduction of inspection frequency Y/N/NA.					
	As applicable:					
	o location of the rain gauge or the address of					
	weather station to obtain rainfall data					
	Y/ <mark>N</mark> /NA		\boxtimes			
	 beginning and ending dates of the 	Y	N			
	seasonally-defined arid period for your					
	area or the valid period of drought					
	Y/N/NA					
	o beginning and ending dates of frozen					
	conditions Y/N/NA					
	Inspection or maintenance checklists or other					
	forms that will be used \boxed{Y} /N					
Par	ts 7.2.12					
	Inspections			Notes:		
	pections performed by "qualified" person?	\boxtimes				
Par	t 4.1.1	Y	N			
Co	nducts inspections at a minimum of required					
fre	quency unless reductions documented?					
	Every 7 days or 14 days & w/in 24 hrs of a					
	0.25" rain event Y/N	Y	N			
Par	t 4.1.2					
	pplicable, conducts increased inspection					
	quency for sites with discharges to sediment					
	nutrient-impaired waters or Tier 2 , 2.5 or 3	Ιп	П	N/A		
wat	ters:	Y	N			
>	Once every 7 days Y/N; and	1	11			
>	Within 24 hrs of a \geq 0.25" rain event Y/N?					
	ts 4.1.3, 3.3.2.1, 3.3.2					
	llowable (begin/end dates recorded),					
aoc	ruments reduced inspection frequency? > Stabilized area - 1/mo in areas where					
_	stabilization has been completed Y/N/NA			N/A		
	For arid/semi arid during seasonally dry period or drought-stricken areas - 1/mo and wi/24 hrs	$ \neg$		IV/A		
	of the occurrence of a storm event ≥ 0.25 "	Y	N			
	Y/N/NA	Y	N			
>	For frozen conditions (runoff unlikely,					
	disturbance suspended, areas stabilized) -					
	suspends until thawing conditions Y/N/NA					
Par	t 4.1.4.1 thru 3					
	pection areas includes:					
>	All cleared, graded, excavated, and not					
	completed stabilization Y/N					
	All controls/measures Y/N					
۶	Material/waste/borrow/equipment storage and	\boxtimes				
	maintenance areas Y/N	Y	N			
>	All areas stormwater typically flows \overline{Y}/N	1	1.1			
>	All points of discharge Y/N					
>	All locations stabilization implemented					
	Y/N/NA					

Par	rt 4.1.5			
Inspection includes minimum requirements?				
	Controls installed/operational Y/N			
>	Determines need to replace, repair, or maintain \boxed{Y}/N			
>	Conditions that could lead to spills, leaks, and accumulations of pollutants $ \overline{Y} /N$			
>	Identifies where new or modified controls are necessary \(\forall V \) N			
>	At points of discharge, checks for visible erosion/sedimentation on banks \(\frac{V}{N} \)NA			
	Identifies noncompliance Y/N			
\triangleright	If discharge is occurring:	\boxtimes		
	o Identifies all points of discharge Y/N	Y	N	
	o Observes/documents visual quality,			
	including color, odor, floating, settled, or			
	suspended solids, foam, oil sheen, and			
	other of pollutants \overline{Y}/N			
	 Documents whether controls operating 			
	effectively, and describes controls not			
	operating as intended or need maintenance Y/N			
	Based on results of inspection, initiates			
	corrective action under Part 5.			
	rt 4.1.6			
	pection reports:			
>	Completed within 24 hrs Y/N			
>	Includes inspection date Y/N			
	Includes names/titles of personnel Y/N			
	Includes summary of findings Y/N	Ш	\boxtimes	
	Includes applicable rain gauge reading	Y	N	
	Y/ <mark>N</mark> /NA			
	Signed and certified in accordance with			
	Appendix I.11 Y/N			
Par	rt 4.1.7.1 and 2			

Corrective Action			Notes:		
Coı	rective action initiated immediately; and				
	manent solution completed no later than 7	\boxtimes			
	endar days from the time of discovery or if	Y	N		
	easible as soon as practicable?	1	11		
Par					
	thin 24 hours of discovering the occurrence,				
con	upletes a report of the following:				
>	Condition identified Y/N	\boxtimes			
>	Nature of the condition identified \overline{Y}/N	Y	N		
	Date and time of the condition identified and	1	11		
	how it was identified Y/N				
	t 5.4				
	thin 7 calendar days of discovering the				
occ	urrence, completes a report of the following:				
	Follow-up actions taken to review the design,				
	installation, and maintenance of stormwater				
	controls, including the dates such actions				
	occurred Y/N				
	Summary of stormwater control modifications				
	taken or to be taken Y/N				
	Schedule of activities necessary to implement		\boxtimes		
	changes Y/N	Y	N		
	Date the modifications are completed or				
	expected to be completed Y/N				
	Notice of whether SWPPP modifications are				
	required as a result of the condition identified				
	or corrective action Y/N				
	Signed and certified in accordance with				
	Appendix I.11 \(\overline{Y} \)/N				
Par	ts 5.4.2, 5.4.3				

Additional Notes on SWPPP Review (optional)
•

Implementation (complete in field) (Narrative Description if Control Measures Installed, Operational, Effective and Maintained)					
Erosion and Sediment Control Practices Part 2.1					
Minimize area of disturbance:	(Provide brief description)				
	Entire site regraded.				
Buffer compliance:	(e.g., provide and maintain a 50-foot undisturbed natural buffer)				
	Yes				
Perimeter controls:	(e.g., filter berms, silt fences, temporary diversion dikes)				
	Straw sock waddles used.				
Exit point or sediment track out:	(e.g, aggregate stone with an underlying geotextile or non-woven filter fabric, or turf mats, wheel washing, rumble strips, plates, sweeping)				
	No BMP's along the south entrance road.				
Stockpiled sediment or soil:	(e.g., berms, dikes, fiber rolls, silt fences, sandbag, gravel bags)				
	N/A				
Minimize dust:	(e.g., application of water or other dust suppression techniques)				
	Water truck for dust suppression on site.				
Steep slopes:	(e.g., standard erosion and sediment control practices, phasing disturbances, stabilization practices)				
	Retaining wall constructed on south side to redirect rainwater.				
Preserve topsoil:	(e.g., stockpiling or transfer of topsoil to other locations)				
	N/A				
Soil compaction:	(e.g., restrict vehicle / equipment use, soil conditioning techniques)				
	New building/roads constructed on site.				
Storm drain inlet protection:	(e.g., fabric filters, sandbags, concrete blocks, gravel barriers)				
	No protection at time of inspection.				
Conveyance channels:	(e.g., erosion controls, and velocity dissipation check dams, sediment traps, riprap, or grouted riprap at outlets)				
	Yes				
Sediment basin:	(e.g., outlet structures that withdraw from the surface, stabilization, erosion controls, velocity dissipation, kept at least ½ design capacity)				
	Yes				

Erosion and Sediment Control Practices - Continued				
Treatment chemicals:	(e.g., spill berms, decks, spill containment pallets, storing chemicals in covered area, spill kit available on site)			
	N/A			
Dewatering:	(e.g., sediment basins or sediment traps, sediment socks, dewatering tanks, tube settlers, weir tanks, or filtration systems (e.g., bag or sand filters) designed to remove sediment)			
	N/A			
Other erosion and sediment controls or practices:	(Provide brief description) Small sediment basins on south side with short retaining wall in place.			
	Stabilization Practices Part 2.2			
Stabilization:	(e.g., soil conditioning, application of seed or sod, planting of seedlings or other vegetation, application of fertilizer, watering, mulch, rolled erosion control products, control blankets, riprap, gabions, geotextiles)			
	Active site.			
Are stabilization measures initiated immediately? Y/N Are they completed within 14 days of construction cessation? Y/N	(e.g. indicate "yes" or "no"; if not within 14 days of construction cessation, how long without stabilization measures?) Active site.			
	Pollution Prevention Measures Part 2.3			
Fueling and maintenance of vehicles:	(e.g., locating activities away from surface waters and stormwater inlets or conveyances, providing secondary containment (e.g., spill berms, decks, spill containment pallets)and cover where appropriate, and/or having spill kits readily available) Equipment fueled by service truck that is not kept on site.			
Washing equipment & vehicles:	(e.g., locating activities away from surface waters, stormwater, inlets, conveyances, sediment basin or sediment trap, using filtration devices, such as filter bags or sand filters, plastic sheeting, temporary roofs) N/A			
Washing applicators/containers (e.g., stucco, paint, concrete, form release oils, curing	(e.g., leak-proof container or pit, locate as far away as possible from surface waters, inlets or conveyances, designate areas)			
compounds, and other construction materials)	Not on site.			

Pollution Prevention Measures – Continued				
Storage, handling, disposal of	Building products (e.g., asphalt sealants, copper flashing, roofing materials,			
construction materials, products and waste:	adhesives, concrete admixtures):			
products and waste.	A waste bin on site.			
	Destinides harbinides insectivides fautilizans and landscape metanisla.			
	Pesticides, herbicides, insecticides, fertilizers, and landscape materials:			
	A waste bin on site.			
	Diesel fuel, oil, hydraulic fluids, other petroleum products, and other chemicals:			
	A waste bin on site.			
	Hazardous or toxic waste (e.g, paints, solvents, petroleum-based products,			
	wood preservatives, additives, curing compounds, acids):			
	A waste bin on site.			
	A waste our on site.			
	Construction and domestic waste (e.g., packaging materials, scrap construction			
	materials, masonry products, timber, pipe and electrical cuttings, plastics,			
	styrofoam, concrete, and other trash or building materials):			
	A waste bin on site.			
	Sanitary waste:			
	A port-a-potty on site.			
	Treat a pour on one.			
Fertilizer application:	(e.g., avoids applying before heavy rains, never applies to frozen ground, never applies to conveyance channels with flowing water)			
	N/A			
	17/11			
	M. II			
Evidence of not allowable non-	Miscellaneous (Provide brief description and determine whether any non-storm water			
storm water discharges or prohibited discharge?	discharges allowable)			
	No			
Evidence of sediment	(e.g. significant turbidity observed in a receiving water body)			
deposition to surface waters or MS4?	(c.g. significant tarbiany observed in a receiving water body)			
	No			

Photographer: Daniel Valenta	Date: 3/16/2017	Time: 1350 hours			
City/County: Santa Fe/Santa Fe					
Location: Las Campanas at Santa Fe – Trailhead Dr. & Paseo Las Terrazas					
Subject: Entire 24 acre site was disturbed.					




Photo # 2

Photographer: Daniel Valenta	Date: 3/16/2017	Time: 1417 hours	
City/County: Santa Fe/Santa Fe			
Location: Las Campanas at Santa Fe – Trailhead Dr. & Paseo Las Terrazas			

Subject: Sections on the north side of the project had missing or destroyed BMP's.



Photographer: Daniel Valenta	Date: 3/16/2017	Time: 1418 hours		
City/County: Santa Fe/Santa Fe				
Location: Las Campanas at Santa Fe – Trailhead Dr. & Paseo Las Terrazas				



Photographer: Daniel Valenta	Date: 3/16/2017	Time: 1424 hours		
City/County: Santa Fe/Santa Fe				
Location: Las Campanas at Santa Fe – Trailhead Dr. & Paseo Las Terrazas				
Subject: Unprotected storm water drain				



Photographer: Daniel Valenta	Date: 3/16/2017	Time: 1438 hours		
City/County: Santa Fe/Santa Fe				
Location: Las Campanas at Santa Fe – Trailhead Dr. & Paseo Las Terrazas				



Photographer: Daniel Valenta	Date: 3/16/2017	Time: 1553 hours
City/County: Santa Fe/Santa Fe		
Location: Las Campanas at Santa Fe – Trailhead Dr. & Paseo Las Terrazas		
Subject: South entrance has no BMP's and is not addressed in the SWPPP.		



Attachment A

Photo's submitted after inspection.

